What is your view of the possibility of the NHS funding access to onasemnogene abeparvovec (also known as Zolgensma) for the treatment of infants diagnosed with SMA Type 1?

The National Institute for Health and Care Excellence (NICE) is considering whether to recommend that NHS England funds the new drug treatment on as emnogene abeparvovec (also known as $Zolgensma^{TM}$) for infants who have SMA Type 1

Patient Groups would like to find out what the views are of the SMA community and are putting out this survey for anyone who has SMA or is related to someone who has, or had, SMA.

SMA UK will collate all the surveys, summarise what we have been told and share the results with MDUK and TreatSMA. The anonymised statistical results of the survey may then be used to inform our Patient Group Submissions to NICE.

Some questions about nusinersen (SpinrazaTM) are included as the submission form also asks what people think about current treatments and care.

For ease of reading, throughout this survey we refer to omnasemnogene abeparvovec by its trade name Zolgensma and to nusinersen by its trade name Spinraza.

We would also like to be able to quote what people have told us. We may include non-identifying information to show the age / type of SMA that affects the person. You will be asked at the end of the survey whether you consent to this. Whatever your decision, SMA UK will not tell anyone your name or contact details.

If you haven't already done so, please open the accompanying<u>Drug Treatments Summary Table</u> as you'll need to refer to this as you respond.

The survey should take around 20 minutes to complete, depending on how much detail you wish to include in your comments. You will need to complete it in one go as the survey doesn't allow for breaks.

More than one person from any family is welcome to submit their views - please could each person complete a separate survey.

The closing date for this survey is 11.00pm Sunday 14th July 2019.

Thank you.

What is your view of the possibility of the NHS funding access to onasemnogene abeparvovec (also known as Zolgensma) for the treatment of infants diagnosed with SMA Type 1?

1. I lease tell as who is comp	pleting this survey (please tick as	many as apply)
I am an adult (age 18 years +) w	rho has SMA	
I am a young person (age under	18 years) who has SMA	
I am the parent of someone who	has SMA	
I am the grandparent of someon	e who has SMA	
I am the partner of someone who	o has SMA	
I am related in another way to so	omeone who has SMA	
I am bereaved by SMA		
Other - please say more in the c	omments box	
Other (please tell us more)		
Gypsy or Irish Traveller Any other white background Indian Pakistani	Any other Asian Background African Caribbean Any other Black / African / Caribbeackground	Mixed ethnic background Prefer not to say bean
	on with SMA live?	
3. Where does / did the personal England Scotland		
England		
England Scotland		
England Scotland Wales	omments box	

Type 1		Type 3	
Type 1 / 2		Type 4	
Type 2		Other - please describe	e below
Type 2 / 3			
Other (please describe)			
5. If you are hereaved	hy SMA when we	e you bereaved? Please then	no to O 6
2015 - 2019	by Chin i, mich me	o you borourou. I rouse mem	go to Q o.
2010 - 2014			
2005 - 2009			
2000 - 2004			
Before 2000			
Any further comment			
6. What age is the per	son who has SMA	•	
6. What age is the per	son who has SMA	,	
	son who has SMA	,	
0-4	son who has SMA		
0-4 5 - 11	son who has SMA		
0-4 5 - 11 12 - 17	son who has SMA		
0-4 5 - 11 12 - 17 18-24	son who has SMA		
0-4 5 - 11 12 - 17 18-24 25-34	son who has SMA		
0-4 5 - 11 12 - 17 18-24 25-34 35-44	son who has SMA		
0-4 5 - 11 12 - 17 18-24 25-34 35-44 45-54	son who has SMA		
0-4 5 - 11 12 - 17 18-24 25-34 35-44 45-54 55-64	son who has SMA		
0-4 5 - 11 12 - 17 18-24 25-34 35-44 45-54 55-64	son who has SMA		
0-4 5 - 11 12 - 17 18-24 25-34 35-44 45-54 55-64	son who has SMA		
 □ 0-4 □ 5 - 11 □ 12 - 17 □ 18-24 □ 25-34 □ 35-44 □ 45-54 □ 55-64 	son who has SMA		
 □ 0-4 □ 5 - 11 □ 12 - 17 □ 18-24 □ 25-34 □ 35-44 □ 45-54 □ 55-64 	son who has SMA		
 □ 0-4 □ 5 - 11 □ 12 - 17 □ 18-24 □ 25-34 □ 35-44 □ 45-54 □ 55-64 	son who has SMA		

Continuing to receive	: Эринаzа				
Previously received \$	Spinraza (if you wish, plea	ase give reasor	n for stopping in comr	nent box)	
Received Zolgensm	a via a clinical trial				
Continuing to receive	e risdiplam via a clinical tr	rial			
Previously received r	risdiplam via a clinical tria	al (if you wish, p	please give reason fo	r stopping in comm	nent box)
Continuing to receive	e other drug treatment vi	a clinical trial (p	lease tell us more in	comment box)	
Previously received of	other drug treatment via	clinical trial (ple	ease tell us more in co	omment box)	
Never received any o	drug treatment				
Other information you wish	n to give				
answering the next	questions.	-			-
I confirm that I have noted to the infect of ZolgensmaTM treated to the consider each aspect the means you consider	read the information providence or mation in the Drug atment for an infant not to be an advantage or this to be a strong	Treatments ewly diagnos I disadvant disadvanta	sed with SMA Typage of this treatm	e 1. Please rat ent. TM treatment	
I confirm that I have not be a consider each aspect the means you consider	read the information providence or mation in the Drug atment for an infant near to be an advantage or this to be a strong or this to be a strong	Treatments ewly diagnos I disadvant disadvanta	sed with SMA Typage of this treatm	e 1. Please rat ent. TM treatment	e whether you
I confirm that I have noted to the information of ZolgensmaTM treatensider each aspect to means you conside	read the information providence or mation in the Drug atment for an infant near to be an advantage or this to be a strong or this to be a strong	Treatments ewly diagnos I disadvant disadvanta	sed with SMA Typage of this treatm	e 1. Please rat ent. TM treatment	e whether you 5 Strong
I confirm that I have not be a consider each aspect to the answer of the consider each aspect to the considerence	ormation in the Drug ormation in the Drug ormation in the Drug or atment for an infant not to be an advantage or this to be a strong or t	Treatments ewly diagnos I disadvant disadvanta	sed with SMA Typage of this treatmone of Zolgensma	e 1. Please rat ent. T ^M treatment treatment	e whether you 5 Strong
I confirm that I have to a consider each aspect to means you consider to the infection of t	ormation in the Drug ormation in the Drug ormation in the Drug or atment for an infant not to be an advantage or this to be a strong or t	Treatments ewly diagnos I disadvant disadvanta	sed with SMA Typage of this treatmone of Zolgensma	e 1. Please rat ent. T ^M treatment treatment	e whether you 5 Strong
I confirm that I have not consider each aspect to means you consider the means you consider	ormation in the Drug ormation in the Drug ormation in the Drug or atment for an infant not to be an advantage or this to be a strong or t	Treatments ewly diagnos I disadvant disadvanta	sed with SMA Typage of this treatmone of Zolgensma	e 1. Please rat ent. T ^M treatment treatment	e whether you 5 Strong
I confirm that I have not consider each aspect to the infect consider each aspect to the means you consider the me	ormation in the Drug ormation in the Drug ormation in the Drug or atment for an infant not to be an advantage or this to be a strong or t	Treatments ewly diagnos I disadvant disadvanta	sed with SMA Typage of this treatmone of Zolgensma	e 1. Please rat ent. T ^M treatment treatment	e whether you

Appendix 3

	Strong Disadvantage	2	3	4	5 Strong Advantag
Based on clinical trial results, possible effect on survival / life expectancy				\bigcirc	
Based on clinical trial results, possible effect on breathing	\circ			\bigcirc	0
Based on clinical trial results, possible effect on motor milestones	\bigcirc	\bigcirc		\bigcirc	
What is known about this technology			\circ		
Additional comments and	or any other aspects o	of Zolgensma trea	ment which you cons	sider to be advantaç	ges or disadvant

1. Referring to the information in the summary , consider the following aspects f Spinraza[™] treatment for an infant newly diagnosed with SMA Type 1. Please rate whether you onsider each aspect to be an advantage / disadvantage of this treatment. means you consider this to be a strong disadvantage of Spinraza[™] treatment	means Zolgensma ^T	^M treatment is tota ^M treatment is tota		-		
dditional comments and / or any other aspects of Zolgensma treatment that are acceptable or not acceptable to you 1. Referring to the information in the summary, consider the following aspects of Spinraza TM treatment for an infant newly diagnosed with SMA Type 1. Please rate whether you consider each aspect to be an advantage / disadvantage of this treatment. The summary of the information in the summary of the following aspects of Spinraza TM treatment. The summary of the information in the summary of the following aspects of Spinraza TM treatment.		2	3		4	
f Spinraza TM treatment for an infant newly diagnosed with SMA Type 1. Please rate whether you onsider each aspect to be an advantage / disadvantage of this treatment. means you consider this to be a strong disadvantage of Spinraza TM treatment						
1. Referring to the information in the summary , consider the following aspects of Spinraza™ treatment for an infant newly diagnosed with SMA Type 1. Please rate whether you consider each aspect to be an advantage / disadvantage of this treatment. The means you consider this to be a strong disadvantage of Spinraza™ treatment to means you consider this to be a strong advantage of Spinraza™ treatment	dditional comments and /	or any other aspects o	f Zolgensma treatr	nent that are accep	table or not accer	otable to you
means you consider this to be a strong advantage of opinion						
	f SpinrazaTM treatme onsider each aspect means you consider	ent for an infant ne to be an advantag this to be a stron	wly diagnosed ge / disadvanta g disadvantag	with SMA Type age of this treatr e of Spinraza	 Please rate nent. TM treatment	5 Strong
How it is delivered	f SpinrazaTM treatme onsider each aspect means you consider means you consider	ent for an infant ne to be an advantag this to be a stron this to be a stron 1 Strong	wly diagnosed ge / disadvanta g disadvantag g advantage o	with SMA Type age of this treatr se of Spinraza of Spinraza TM tr	1. Please rate ment. TM treatment reatment	5 Strong
How it is delivered How often it is delivered	f Spinraza TM treatment onsider each aspect means you consider means you consider means you consider the means you consider the means you consider the means which was a second to the means	ent for an infant ne to be an advantag this to be a stron this to be a stron 1 Strong	wly diagnosed ge / disadvanta g disadvantag g advantage o	with SMA Type age of this treatr se of Spinraza of Spinraza TM tr	1. Please rate ment. TM treatment reatment	5 Strong
How often it is	f Spinraza TM treatment onsider each aspect ameans you consider means you consider means you consider the means y	ent for an infant ne to be an advantag this to be a stron this to be a stron 1 Strong	wly diagnosed ge / disadvanta g disadvantag g advantage o	with SMA Type age of this treatr se of Spinraza of Spinraza TM tr	1. Please rate ment. TM treatment reatment	
How often it is delivered The range of cells and tissues it reaches in	f Spinraza TM treatment onsider each aspect onsider each aspect on means you consider means you consider the mean	ent for an infant ne to be an advantag this to be a stron this to be a stron 1 Strong	wly diagnosed ge / disadvanta g disadvantag g advantage o	with SMA Type age of this treatr se of Spinraza of Spinraza TM tr	1. Please rate ment. TM treatment reatment	5 Strong

Appendix 3

	1 Strong Disadvantage	2	3	4	5 Strong Advantage
Based on clinical trial results, possible effect on survival / life expectancy		\bigcirc		\bigcirc	
Based on clinical trial results, possible effect on breathing	\circ		\circ	\circ	
Based on clinical trial results, possible effect on motor milestones			\bigcirc	\bigcirc	
What is known about this technology					
Additional comments and /	or any other aspects o	f Spinraza treatm	ent which you consid	er to be advantages	s or disadvantage

	means SpinrazaTM treatment is totally acceptable to you				
1 Totally Unacceptable	2	3	4	5 Totally Acceptal	
Additional comments and / or a	any other aspects of S _l	pinraza treatment that are	acceptable or not acc	eptable to you	

who is v	ell enough to receive Spinraza TM
and	
	ell enough to receive, and has been screened as suitable for, na TM treatment
aced with a cone only)	ecision of choosing one treatment only, which of the following would you select? (tic
Spinraza	
Zolgensma	
Neither - I w	uld choose management as outlined in the international Standards of Care for SMA and palliative care
Other (please tell	s more / explain your choice if you wish)
	TM
	ny more you would like to share about your view of ZolgensmaTM as a potential
	ny more you would like to share about your view of ZolgensmaTM as a potential fants who have SMA Type 1, please tell us here

	se my comments in the way you describe at use my comments in the way you describe	
, , o a a,	t account comments in the may yet accounts	
-	ing to say who you are, please give your name	
-	ou to discuss your responses further if we need mmary report or be passed on. The views you h	
	eive from SMA UK.	,
First Name		
Surname		
Address		
Address 2		
City/Town		
-		
County		
Postcode		
Country		
Email Address		
Phone Number		



